

Understanding Digoxin

One of the oldest heart medicines — useful in the right spot, watched closely to stay safe

It can slow a fast beat and gently strengthen a weak heart. The key is staying in the safe zone.

Digoxin — An Old Heart Medicine With Two Jobs

From the foxglove plant. Helpful in the right dose — watched closely to stay safe.

Slow a Fast Beat	Strengthen the Squeeze
In atrial fibrillation, it slows a racing rate. Often an add-on — handy when the heart is weak or blood pressure is low.	In some heart failure, it makes each beat a bit stronger. It can cut hospital stays — it does not lower the death rate.

Narrow safety window: the helpful dose and the harmful dose sit close together. We check blood levels, kidneys, and potassium to keep you in the safe zone.



Online: <https://go.riasalimd.com/digoxin-guide>

Rias KS Ali, MD FACC

Board Certified in Interventional Cardiology & Cardiovascular Disease

4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com

Last Updated: August 2026



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Names & Terms You Will Hear

Term	Meaning
Digoxin	The generic name. This is the drug itself.
Lanoxin	A common brand name. It is the same drug as digoxin. Your plan or pharmacy may use either name.
Digitalis	The plant family the drug comes from — the foxglove plant. You may hear digoxin called a 'digitalis' medicine.
Cardiac glycoside	The drug group. These medicines gently change how heart cells handle a salt called calcium, so each beat squeezes a bit harder.
Digoxin level	A blood test that measures how much digoxin is in your body. We use it to keep you in the safe zone, aiming for a low number.
Digoxin toxicity	When the level gets too high and the drug starts to harm rather than help. It is the main thing we watch for — and the main reason for the blood tests.

The one thing to remember: the safe window is narrow.

With digoxin, the helpful dose and the harmful dose sit close together. So we keep your blood level **low on purpose**, and we check your level, kidneys, and potassium. Call us right away if you notice **nausea, confusion, a yellow-green tint to your vision, or a very slow pulse** — these can be signs of too much digoxin.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

What Is Digoxin?

- Digoxin is one of the oldest heart medicines. It comes from the foxglove plant and has been used for over 200 years.
- It has two main jobs. First, it can slow down a fast heart rate in atrial fibrillation (AFib). Second, it can make a weak heart squeeze a little harder in some kinds of heart failure.
- In AFib, it is often an add-on, not the first drug. It is most useful when the heart is also weak, or when blood pressure is too low for the usual rate drugs.
- In heart failure, it does not make people live longer. But the DIG trial showed it can lower the number of trips to the hospital and help people feel better.
- It is used less today than it once was. Gentler, safer drugs usually come first. But in the right person, digoxin is still a valuable tool.
- The most important thing to know is its narrow safety window. The helpful dose and the harmful dose sit close together. That is why we check blood levels, kidneys, and potassium.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

What Digoxin Does

- Job one — slow a fast beat. In atrial fibrillation, the top of the heart fires off too fast. Digoxin works through your body's calming nerves to slow the signal as it passes through the heart, so the bottom chambers do not race.
- This is why it shines when the heart is weak or the blood pressure is low. Unlike many rate drugs, digoxin does not drop your blood pressure. It is often added on top of a beta-blocker rather than used alone.
- Job two — a gentle squeeze boost. In some heart failure, digoxin nudges heart cells to hold a little more calcium, so each beat squeezes a bit harder. We call this a mild 'inotrope.'
- In heart failure it is a symptom helper, not a life-extender. The DIG trial showed fewer hospital stays, but no change in how long people lived. So it goes on top of the drugs that do help people live longer.
- For the rhythm side, see our AFib guide at <https://go.riasalimd.com/afib-guide>. For the pump side, see our heart-failure guide at <https://go.riasalimd.com/hf-guide>.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Why It Matters

- Digoxin works in a way no other common heart drug does. When the usual rate or heart-failure drugs are not enough or cannot be used, it can fill the gap.
- It is gentle on blood pressure. That makes it a smart pick when the pressure is already low and a beta-blocker or calcium-channel blocker would drop it too far.
- It comes with one big catch. The line between a helpful level and a toxic level is thin. Cross it, and the drug that was helping can cause harm.
- Several everyday things can push your level over that line: kidney trouble, low potassium or magnesium, getting dehydrated, and certain other drugs.
- Because of this, the blood tests are not busywork. They are how we keep digoxin on the helpful side of the line and catch a rising level before it harms you.




Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

The Narrow Window — Helpful and Harmful Sit Close



Digoxin's safe window is narrow — the helpful zone and the toxic zone sit close together. We aim for the low end and watch for the things that push your level up.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Digoxin Toxicity — the Narrow Window

- Digoxin has what we call a narrow therapeutic window. The dose that helps and the dose that harms sit close together. A small change in your body can tip you from one to the other.
- What raises your level: kidney trouble, low potassium or magnesium (often from water pills — a dangerous combo), being dried out, and certain drugs like amiodarone, verapamil, and some antibiotics.
- What too much looks like: nausea, vomiting, loss of appetite, confusion, and vision changes — blurry sight, a yellow-green tint, or halos around lights. Your pulse may turn too slow or skip.
- These signs can come on slowly. If any of them start, do not wait — call us so we can check your level and adjust the dose.
- For severe toxicity, there is an antidote. It is a digoxin-specific antibody, given in the hospital, that binds the drug and pulls it out of action quickly.

Water pills and digoxin — a combo to watch.

Many people take a water pill (diuretic) for swelling or blood pressure. Water pills can lower your **potassium**, and low potassium makes digoxin more toxic — even at a level that usually looks fine. If you take both, keep up with your potassium checks and tell us about any new water pill. See our water-pill guide at <https://go.riasalimd.com/diuretics-guide>.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Treatment Options

- Most people take a low dose once a day — often a small tablet, taken at the same time each day.
- The dose is set low on purpose, then fine-tuned by your blood level. We aim for a low target range, not a high one. A low level still helps and is far safer.
- Your dose depends on your kidneys and your age. Older adults and people with kidney trouble need a smaller dose, because the kidneys clear digoxin out of the body.
- If you miss a dose, take it as soon as you remember that day. If it is almost time for the next one, skip the missed dose. Never take two doses to catch up.
- We check a digoxin blood level, your kidney function, and your potassium from time to time — and any time your kidneys change, you get sick, or a new drug is added.
- If your level ever climbs too high, we lower the dose or pause the drug. For severe toxicity, there is an antidote — a digoxin-specific antibody given in the hospital.
- Tell us before you start any new medicine. Some drugs raise your digoxin level a lot, and we cut the digoxin dose when we add them.

What raises your digoxin level — and what we do about it. When we add a drug that raises your level, we cut your digoxin dose.

What raises the level	Why it matters	What we do
Kidney trouble (or aging kidneys)	The kidneys clear digoxin; slower kidneys let it build up	Use a smaller dose; check kidneys and level
Low potassium or magnesium	Makes the heart more sensitive to digoxin — often from water pills	Check and replace these salts; review water pills
Dehydration	Drying out can drop potassium and slow the kidneys	Call us with vomiting or diarrhea; stay hydrated
Amiodarone	A rhythm drug that can roughly double the digoxin level	Cut the digoxin dose, often by about half
Verapamil (and some others)	A heart-rate drug that raises the digoxin level	Lower the digoxin dose; recheck the level
Certain antibiotics	Some antibiotics raise the digoxin level	Tell us before filling; we may adjust the dose



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Staying Safe — Levels, Potassium, and Kidneys

- Blood levels: we check a digoxin level from time to time and aim for the low end of the range. A low level still helps your heart and keeps you well clear of the toxic zone.
- Potassium and magnesium: we keep these in a healthy range. Low levels make digoxin more toxic, so they matter most when you are also on a water pill.
- Kidney function: because your kidneys clear the drug, we check them regularly — and any time you get sick, get dried out, or start a new medicine.
- Interactions: tell us before starting anything new, even an over-the-counter product. When we add a drug that raises your level, we lower the digoxin dose to match.
- Your habits help, too. Take it at the same time daily, never double up, and call early with vomiting or diarrhea. Steady habits keep your level steady — see our medicines guide at <https://go.riasalimd.com/med-adherence-guide>.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Risks, Benefits, and Alternatives

Every choice has trade-offs. Use this table to start the shared decision conversation.

Option	Risks	Benefits	Alternatives
Adding digoxin to slow the rate in AFib	It works slowly and is weaker at controlling the rate during activity. It has a narrow safety window, so you need blood-level, kidney, and potassium checks. Toxicity is the main risk.	It slows a fast rate without dropping your blood pressure. That makes it useful when the heart is weak or the pressure is low. It is often added when a beta-blocker alone is not enough.	Beta-blockers and certain calcium-channel blockers are first-line for rate control and work better with activity. Rhythm control or ablation are options when rate control is not enough. See our AFib guide at https://go.riasalimd.com/afib-guide .
Adding digoxin for symptoms in heart failure with a weak pump	It does not help you live longer. It still needs level, kidney, and potassium checks. Too much can cause nausea, vision changes, confusion, or a dangerous rhythm.	The DIG trial showed it can cut hospital stays and help you feel better when added to the main heart-failure drugs. It is gentle on blood pressure.	The main heart-failure drugs — which do help people live longer — come first. Digoxin is added on top for symptoms. See our heart-failure guide at https://go.riasalimd.com/hf-guide .
Watchful waiting — not using digoxin	If the usual drugs are not controlling your rate or your symptoms, waiting may leave you tired, short of breath, or in and out of the hospital.	You avoid the narrow safety window and the extra blood tests. For many people, the newer first-line drugs are enough on their own.	Digoxin is the add-on we reach for when first-line drugs fall short, especially with a weak heart or low blood pressure.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Common Misconceptions

Myth	Reality
Digoxin is an old drug, so it must be outdated and useless.	Digoxin is old, but it still has a real role. It is used less than before because gentler drugs usually come first. Yet in the right person — a weak heart, low blood pressure, or a rate that other drugs cannot tame — it is a valuable tool.
A higher digoxin level means it is working better.	Not true, and it can be dangerous. We aim for a LOW level on purpose. A low level still helps the heart and is far safer. A high level does not help more — it just raises the risk of toxicity.
If I miss a dose, I should take two next time to catch up.	Never double up. Take a missed dose later that same day if you remember. If it is almost time for the next dose, just skip it. Doubling up can push your level into the toxic range.
Once my dose is steady, I do not need blood tests anymore.	Your body changes. Your kidneys can slow down with age or illness. A new water pill can drop your potassium. Either one can raise your digoxin level with no warning. The tests catch this early, before it harms you.
It is just a heart pill — I can take any other medicine with it.	Some common drugs raise your digoxin level a lot — amiodarone, verapamil, and certain antibiotics among them. Water pills can drop your potassium and make digoxin more toxic. Always check with us before starting anything new.
Blurry or yellow-tinted vision is just my eyes getting older.	Sometimes it is a warning sign. Blurry vision, a yellow-green tint, or halos around lights can mean your digoxin level is too high. Do not brush it off — call us so we can check your level.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Possible Complications

Knowing what can go wrong helps you spot problems early. Most complications are uncommon, especially with treatment.

Where / What	What Can Happen
Digoxin toxicity	The main risk. When the level climbs too high, digoxin harms instead of helps. Watch for nausea, loss of appetite, confusion, vision changes, and a too-slow or irregular pulse. Tell us early — it is easiest to fix before it gets serious.
Dangerous heart rhythms	At toxic levels, digoxin can set off slow or fast off-beat rhythms. This is the most serious effect. It is the reason we keep your level low and check it from time to time.
Low potassium or magnesium	Often from water pills, low potassium or magnesium makes the heart more sensitive to digoxin — toxicity can happen even at a level that usually looks fine. We check and replace these salts as needed.
Kidney slowdown	The kidneys clear digoxin from your body. If they slow down — from age, illness, or being dried out — the drug builds up and the level rises. Routine kidney and level checks catch this early.
Drug clashes that raise the level	Several common drugs raise your digoxin level, so we cut the digoxin dose when we add them. The big ones are amiodarone, verapamil, and certain antibiotics. This is why we review every new drug.
Stomach upset and tiredness	Even at safe levels, some people get mild nausea, a smaller appetite, or feel tired. Tell us if this is new or getting worse — at times it is the first hint the level is creeping up.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Signs of Too Much Digoxin — Call Us If These Start

Eyes Blurry vision, or a yellow-green tint and halos around lights	Brain Confusion, feeling muddled, unusual tiredness
Stomach Nausea, vomiting, loss of appetite, diarrhea	Heart / pulse A very slow pulse, or a new skipping or irregular beat

Warning signs of too much digoxin to report. The yellow-green tint and halos around lights are a classic clue — do not ignore them.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Points to Know

If you remember nothing else, remember these key points.

- Take digoxin at the same time every day. A steady routine keeps your level steady.
- Never take a double dose to make up for a missed one. Just skip it and take the next dose on time.
- Aim for a LOW blood level — that is the safe and helpful target. Higher is not better.
- Keep up with your blood tests: digoxin level, kidney function, and potassium.
- Water pills can drop your potassium, which makes digoxin more toxic. Tell us if you start, stop, or change a water pill. See our water-pill guide at <https://go.riasalimd.com/diuretics-guide>.
- Tell every doctor, dentist, and pharmacist that you take digoxin BEFORE you start any new drug.
- Call us right away if you have a lot of vomiting or diarrhea — it can dry you out and drop your potassium.
- Bring this guide and a full list of your medicines to every visit. Taking medicines as directed matters: see our guide at <https://go.riasalimd.com/med-adherence-guide>.
- Related guides: AFib <https://go.riasalimd.com/afib-guide> | Heart failure <https://go.riasalimd.com/hf-guide> | Water pills <https://go.riasalimd.com/diuretics-guide> | Dofetilide <https://go.riasalimd.com/dofetilide-guide>.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

When to Call Us - and When to Call 911

If you are not sure, call. We would rather hear from you twice than miss a real problem.

- Nausea, vomiting, or loss of appetite that is new or will not stop — call us today.
- Blurry vision, a yellow-green tint, or halos around lights — call us today.
- New confusion, feeling muddled, or unusual tiredness — call us today.
- A very slow pulse, or a new skipping or irregular heartbeat — call us today.
- Fainting or nearly fainting — call 911.
- Vomiting or diarrhea for more than a day, or signs of being dried out — call us today.
- Any new medicine from another doctor — call us BEFORE you fill it.
- More than one missed dose, or you are not sure how much you took — call us before your next dose.

Office: (727) 943-5200



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Trusted Resources

The links below are the trusted resources Dr. Ali used to write this guide and that he recommends you visit for more information. Each is a clickable link in the digital version and a Short.io tracked URL on the printed version.

- [Cleveland Clinic — Digoxin](#) - An easy-to-read look at how digoxin works and how to take it safely.
- [MedlinePlus — Digoxin](#) - A plain-language drug page from the NIH. Covers uses, missed doses, and warning signs.
- [MedlinePlus — Digoxin Toxicity](#) - A clear list of the signs of too much digoxin, including the vision changes to watch for.
- [American Heart Association — Heart Failure Medications](#) - An AHA look at the medicines used in heart failure, including where digoxin fits.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Sources Used to Build This Guide

Every recommendation in this guide is grounded in one or more of the studies, guidelines, or trusted resources below. Short links are tracked so Dr. Ali can see which references patients are reading; nothing personally identifying is captured.

- [Cleveland Clinic — Digoxin](#) [Patient Education]
Plain-language overview of how digoxin strengthens contraction and slows AV conduction, its narrow therapeutic window, and toxicity signs.
- [MedlinePlus — Digoxin](#) [Patient Education]
NIH/NLM patient drug information: uses in heart failure and atrial fibrillation, dosing cautions, missed-dose guidance, and toxicity warnings.
- [American Heart Association — Heart Failure Medications](#) [Patient Education]
Frames digoxin as a symptom/rate-control adjunct in heart failure and atrial fibrillation within modern therapy.
- [DIG Trial — The Effect of Digoxin on Mortality and Morbidity in Patients With Heart Failure \(NEJM 1997\)](#) [Trial]
Landmark randomized trial: digoxin reduced heart-failure hospitalizations without a mortality benefit, anchoring its modern adjunct role and the low-target-level message.
- [FDA — LANOXIN \(digoxin\) Tablets Prescribing Information](#) [Drug Label]
Authoritative label: indications (mild-to-moderate heart failure, atrial fibrillation rate control), dose-dependent toxicity, drug interactions, and renal dosing.
- [2023 ACC/AHA/ACCP/HRS Atrial Fibrillation Guideline \(Circulation\)](#) [Guideline]
Current AF guideline: digoxin as a Class IIa rate-control option, useful in HFrEF, hypotension, or when beta-blockers/calcium-channel blockers are not tolerated; maintenance dosing.
- [StatPearls — Digoxin \(NCBI Bookshelf\)](#) [Reference]
Pharmacology reference: narrow therapeutic index, renal clearance, hypokalemia/hypomagnesemia as toxicity triggers, and interacting drugs that raise levels.
- [MedlinePlus — Digoxin Toxicity](#) [Patient Education]
Patient-facing description of digoxin toxicity symptoms — nausea, confusion, vision changes (yellow-green tint, halos), and slow or irregular pulse.
- [DailyMed — DigiFab \(digoxin immune Fab\) Prescribing Information](#) [Drug Label]
Documents the digoxin-specific antibody (immune Fab) antidote used to reverse severe, life-threatening digoxin toxicity.
- [Mayo Clinic — Digoxin \(Oral Route\)](#) [Patient Education]
Plain-language proper-use and precautions page: same-time daily dosing, missed-dose rule, foods/drugs to watch, and warning signs to report.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

About This Guide

Rias KS Ali, MD FACC | Board Certified in Interventional Cardiology & Cardiovascular Disease

4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com

Version: 2026-08-15

Reviewer note: We checked this against the Cleveland Clinic and MedlinePlus drug pages, the AHA heart-failure medicine page, the FDA Lanoxin label, and the 2023 AFib guideline. Ours adds more. It shows the narrow safety window as a picture. It lists exactly what raises your level. It names the drugs that clash. And it spells out the warning signs of too much digoxin — including the yellow-green vision clue.

Disclaimer

This guide is for educational purposes only and does not replace medical advice from your physician. Recommendations may not apply to every patient. Always follow the specific instructions of Dr. Ali and your care team. In an emergency call 911 or go to the nearest emergency department.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info

Take This Guide With You



Scan or visit: <https://go.riasalimd.com/digoxin-guide>

Online: <https://go.riasalimd.com/digoxin-guide>

Office: (727) 943-5200

4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/digoxin-guide>



Save
Contact Info