


Understanding Ranolazine (Ranexa)

A medicine for ongoing angina that works without slowing the heart or lowering blood pressure

Ranolazine eases the chest discomfort of coronary artery disease when angina keeps coming. It is an add-on for symptoms — not a rescue pill and not a substitute for your core heart treatment.



Online: <https://go.riasalimd.com/ranolazine-guide>

Rias KS Ali, MD FACC

Board Certified in Interventional Cardiology & Cardiovascular Disease

4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com

Last Updated: August 2026



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Names & Terms You Will Hear

Term	Meaning
Ranolazine	The generic name. It treats ongoing chest discomfort (angina) from heart artery disease.
Ranexa	The brand name for ranolazine.
Late sodium current blocker	How it works. It calms an odd sodium current inside heart cells. That eases the calcium load that makes the muscle stiff and oxygen-hungry.
Anti-anginal medicine	A drug that prevents or eases angina. Ranolazine is one of several. It is used as an add-on.
Angina	Chest pressure, tightness, or discomfort. It comes when the heart muscle does not get enough oxygen-rich blood.
Extended-release	The tablet lets out the medicine slowly all day. You swallow it whole. Never crush or chew it.
QT interval	A timing measurement on the heart tracing (ECG). Ranolazine stretches it a little, which is why some drugs cannot be mixed with it.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>




Save
Contact Info

What Is Ranolazine (Ranexa)?

- Ranolazine, sold as Ranexa, is a pill for chronic angina — the chest discomfort of coronary artery disease that keeps coming back.
- It works in an unusual way. Inside heart cells there is an odd 'late sodium current.' It loads the cells with calcium. That calcium makes the muscle stiff and hungry for oxygen.
- Ranolazine calms that current. The muscle relaxes and uses oxygen more efficiently, so angina eases.
- What makes it special: it does this **WITHOUT** meaningfully lowering your heart rate or blood pressure. Most other angina medicines lower one or both.
- It is an extended-release tablet, taken twice a day and swallowed whole. Do not crush, chew, or split it.
- It is an add-on. It is used together with — not instead of — your other heart medicines and treatments.

Three Ways to Ease Angina — Ranolazine Is the Different One



Beta-blockers slow the heart and nitrates widen vessels — both lower heart rate or blood pressure. Ranolazine works inside the muscle cell, so it eases angina while heart rate and blood pressure stay about the same.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>




Save
Contact Info

Why It Matters

- Many people still get angina even after they are on a beta-blocker, a calcium blocker, or a nitrate. Ranolazine gives doctors another tool that does not lean on heart rate or blood pressure.
- Because it barely changes heart rate or blood pressure, it is useful when those numbers are already low — so you cannot safely take more of the usual angina medicines.
- In the CARISA and ERICA trials, adding ranolazine let people exercise longer before angina started and cut how many angina attacks they had and how much nitroglycerin they used.
- Be clear about the goal: ranolazine is about feeling better and doing more. The large MERLIN-TIMI 36 trial found it did NOT lower the risk of a heart attack or of dying.
- It does not replace the treatments that DO protect the heart — a statin, aspirin when advised, controlling blood pressure and sugar, quitting smoking, and opening blocked arteries when needed.
- It is not a rescue medicine. For sudden chest pain you still use nitroglycerin or call 911 — ranolazine will not stop an attack in progress.

Where Ranolazine Fits — An Add-On, Not a Substitute



Ranolazine sits on top of the angina ladder. The foundation — treating the disease — and the first angina medicines come first. Ranolazine is added when angina still breaks through or when heart rate and blood pressure are already low.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Ranolazine Is About Quality of Life — Not Survival

What it DOES

- ✓ Eases chest discomfort (angina)
- ✓ Lets you do more before angina starts
- ✓ Cuts how often angina hits
- ✓ Means fewer nitroglycerin tablets

What it does NOT do

- ✗ Lower the risk of a heart attack
- ✗ Help you live longer (MERLIN-TIMI 36)
- ✗ Stop a heart attack — not a rescue pill
- ✗ Replace statin, aspirin, or a stent

The honest picture: ranolazine improves angina and exercise tolerance, but the large MERLIN-TIMI 36 trial showed it did not lower heart attacks or death. It is a quality-of-life medicine.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

How It Eases Angina Differently

- Most angina medicines work by lowering the heart's workload — they slow the heart or relax blood vessels, which drops heart rate or blood pressure.
- Ranolazine works from inside the heart-muscle cell instead. It calms the abnormal 'late sodium current' that floods the cell with calcium.
- Less calcium overload means the muscle relaxes better between beats and uses oxygen more efficiently — so angina eases.
- Because it does not lean on heart rate or blood pressure, those numbers barely change. That is exactly why it helps when they are already low.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Where It Fits — Add-On, Not a Substitute

- Ranolazine is a second-line, add-on medicine. We reach for it when angina keeps coming despite a beta-blocker, calcium blocker, or nitrate.
- It is also a good choice when your heart rate or blood pressure is already too low to safely raise those other medicines.
- It is not a rescue pill. For a sudden attack you still use nitroglycerin or call 911.
- It never replaces the core treatments that protect the heart — statin, aspirin when advised, risk-factor control, and opening blocked arteries when needed.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Safety — QT, Drug Interactions, and Who Should Avoid It

- Ranolazine stretches the QT interval on the ECG a little. Usually small alone, it can add up with other QT-stretching drugs — we check for that.
- Strong CYP3A blockers (some antibiotics and antifungals) raise its level too high; strong inducers (some seizure and TB drugs) make it stop working. Avoid large amounts of grapefruit.
- The dose is limited with some interacting drugs and in kidney problems. It is generally avoided in moderate to severe liver disease.
- Always share your full medicine, vitamin, and supplement list before anything new is started, and keep your follow-up ECG visits.

Not a rescue medicine. Ranolazine prevents angina over time — it will not stop a sudden attack. For chest pain that is new, worse, lasts more than a few minutes, or does not ease with rest or nitroglycerin, call 911. Keep your nitroglycerin with you.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Treatment Options

- The usual starting dose is 500 mg twice a day. Your doctor may raise it to 1000 mg twice a day based on how you feel.
- Swallow the tablet whole with or without food. Never crush, chew, or break it — that releases the medicine too fast.
- Take it at about the same two times each day. If you miss a dose, take your next dose at the regular time. Do not double up.
- Avoid drinking large amounts of grapefruit juice. Grapefruit raises ranolazine levels in the blood.
- Tell us every medicine, vitamin, and supplement you take. Some antibiotics, antifungals, and other drugs change ranolazine levels or stretch the QT interval too far.
- Your dose may be limited if you take certain interacting medicines, or if you have kidney or liver problems. We adjust carefully and may check an ECG.
- Common early side effects are dizziness, constipation, nausea, and headache. They often ease with time. Stand up slowly if you feel lightheaded.
- Keep taking your other heart medicines. Ranolazine is added on top of them, not in place of them.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Angina Medicines — What Each One Does to Heart Rate and Blood Pressure

Medicine	Heart rate	Blood pressure	Where ranolazine fits
Beta-blocker	Lowers it	Lowers it	Often tried first
Calcium blocker	Lowers or no change	Lowers it	Often tried first
Long-acting nitrate	Little change	Lowers it	Often tried first
Ranolazine	Little change	Little change	Add-on when others fall short



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
 4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
 Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Comfort Measures at Home (No Medication Needed)

These simple steps support healing and ease symptoms. Use them alongside any medication your doctor prescribes.

- Stand up slowly from sitting or lying down — dizziness is the most common early effect.
- Add fiber, fluids, and gentle activity to ease constipation. Ask us before starting a stool softener.
- Keep your nitroglycerin with you. Ranolazine prevents angina over time; nitroglycerin is still your rescue for a sudden attack.
- Carry an up-to-date medicine list. Show it to every doctor, dentist, and pharmacist so no one adds a drug that clashes with ranolazine.
- Keep up the basics that actually protect your heart — your statin, a heart-healthy diet, regular activity, and not smoking.
- Bring your refills before you run out, and keep your follow-up visits so we can check how you feel and review your ECG.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Risks, Benefits, and Alternatives

Every choice has trade-offs. Use this table to start the shared decision conversation.

Option	Risks	Benefits	Alternatives
Adding ranolazine for ongoing angina	Dizziness, constipation, nausea, headache. It stretches the QT interval and interacts with several drugs and grapefruit.	Eases angina and lets you do more without lowering your heart rate or blood pressure. Useful when those are already low.	A beta-blocker, calcium blocker, or long-acting nitrate. Opening a blocked artery (stent or bypass). See our angina guide.
Ranolazine instead of raising a beta-blocker or calcium blocker	Same side effects. Does not treat the underlying disease or lower future risk.	Adds angina relief without dropping a heart rate or blood pressure that is already low.	Carefully raising the other medicine if rate and blood pressure allow. A procedure when arteries are tightly blocked.
Ranolazine as your only angina plan	Not enough on its own. It does not lower heart-attack risk or protect the heart.	Helps symptoms, but the heart stays unprotected without the core treatments.	Full heart care: a statin, aspirin when advised, risk-factor control, and opening blocked arteries when needed. See our CAD guide.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Common Misconceptions

Myth	Reality
Ranolazine will lower my chance of a heart attack.	It will not. The large MERLIN-TIMI 36 trial found it did not reduce heart attacks or death. It is a symptom medicine. Your statin, aspirin, and risk-factor control are what lower future risk.
I can use ranolazine to stop chest pain when it hits.	No. It is not a rescue medicine and works slowly over time. For a sudden attack, use nitroglycerin as directed or call 911. Ranolazine will not stop an attack in progress.
Since it treats angina, I can stop my other heart pills.	No. Ranolazine is added on top of your other treatments, not in place of them. Stopping a statin, beta-blocker, or aspirin can be dangerous. Never change them without us.
A little grapefruit is fine with ranolazine.	Large amounts of grapefruit raise the drug to unsafe levels. Avoid drinking a lot of grapefruit juice. Ask us if you are unsure about your diet.
All my other medicines are safe to take with it.	Not all. Some antibiotics, antifungals, and heart-rhythm drugs change ranolazine levels or stretch the QT interval too far. Always show us your full medicine list before anything new is added.
If it does not lower my heart rate, it must not be working.	Working without changing your heart rate or blood pressure is exactly its strength. That is why we can use it when those numbers are already low.
It is safe to crush the tablet if I have trouble swallowing.	No. It is extended-release. Crushing or chewing it dumps the whole dose at once. Tell us if swallowing is hard — we will find another option.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Possible Complications

Knowing what can go wrong helps you spot problems early. Most complications are uncommon, especially with treatment.

Where / What	What Can Happen
Heart rhythm (QT prolongation)	Ranolazine stretches the QT interval on the ECG a little. On its own this is usually small, but combined with certain drugs it can rarely trigger a dangerous rhythm. We avoid risky combinations and may check an ECG.
Drug interactions	Some drugs raise ranolazine to unsafe levels. These include certain antibiotics and antifungals. Other drugs, like some seizure or TB pills, make it stop working. A lot of grapefruit raises levels too. Always review your full medicine list with us.
Dizziness and low energy	Some people feel lightheaded, often early on or when standing up. Rise slowly. Tell us if it is bad or lasts.
Stomach and bowel	Constipation and nausea are common at first. Fiber, fluids, and gentle activity help. Ask before adding any stool softener.
Kidney or liver disease	These slow how the body clears ranolazine, raising blood levels. The dose may be limited or the drug avoided in moderate to severe liver disease. We adjust to your kidney and liver function.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Key Things to Avoid or Flag With Ranolazine

What	Why it matters
Large amounts of grapefruit	Raises ranolazine to unsafe levels.
Some antibiotics and antifungals	Strong CYP3A blockers push levels too high.
Certain seizure / TB drugs	Strong inducers can make ranolazine stop working.
Other QT-stretching drugs	Combined effect can risk a dangerous rhythm.
Crushing or chewing the tablet	Dumps the extended-release dose all at once.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Points to Know

If you remember nothing else, remember these key points.

- Ranolazine (Ranexa) eases ongoing angina by calming a sodium current inside heart-muscle cells.
- Its special trait: it relieves angina without meaningfully lowering heart rate or blood pressure.
- That makes it a good add-on when angina persists, or when rate and blood pressure are already low.
- It improves symptoms and exercise tolerance but does NOT lower heart attacks or death — it is about quality of life.
- It is not a rescue medicine. Keep using nitroglycerin or call 911 for sudden chest pain.
- It is extended-release: take it twice daily and swallow whole. Avoid large amounts of grapefruit.
- It stretches the QT interval and interacts with several drugs — always share your full medicine list.
- It adds to, and never replaces, your statin, aspirin, risk-factor control, and any needed procedures.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

When to Call Us - and When to Call 911

If you are not sure, call. We would rather hear from you twice than miss a real problem.

- Fainting, a seizure, or a fast, pounding, or irregular heartbeat — call 911; these can signal a rhythm problem.
- Chest pain that is new, worse, lasts more than a few minutes, or does not ease with rest or nitroglycerin — call 911.
- Severe or lasting dizziness or lightheadedness — call us today.
- You started a new medicine, antibiotic, or antifungal — call us before mixing it with ranolazine.
- Constipation that becomes severe or painful — call us this week.
- Nausea or headache that does not settle after a couple of weeks — call us this week.
- You have trouble swallowing the tablet — call us; do not crush or chew it.

Office: (727) 943-5200



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Trusted Resources

The links below are the trusted resources Dr. Ali used to write this guide and that he recommends you visit for more information. Each is a clickable link in the digital version and a Short.io tracked URL on the printed version.

- [Cleveland Clinic — Ranolazine \(Ranexa\)](#) - Patient-friendly overview of how ranolazine works, how to take it, and its main interactions.
- [MedlinePlus — Ranolazine](#) - NIH/NLM plain-language drug information, including QT and drug-interaction warnings.
- [American Heart Association — Angina Treatments](#) - Where add-on medicines like ranolazine fit among the treatments for angina.
- [Our Stable Angina Guide](#) - What angina is, what triggers it, and the full menu of treatments.
- [Our Coronary Artery Disease \(CAD\) Guide](#) - The disease behind angina, and the core treatments that actually protect the heart.
- [Our Beta-Blockers Guide](#) - A common first-line angina medicine that slows the heart and lowers blood pressure.
- [Our Nitrates Guide](#) - How nitroglycerin and long-acting nitrates ease angina — including your rescue tablet.
- [Our Angioplasty and Stents Guide](#) - How a blocked artery can be opened when medicines are not enough.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Sources Used to Build This Guide

Every recommendation in this guide is grounded in one or more of the studies, guidelines, or trusted resources below. Short links are tracked so Dr. Ali can see which references patients are reading; nothing personally identifying is captured.

- [FDA Prescribing Information — RANEXA \(ranolazine\) extended-release tablets](#) [Label]
Authoritative label for indication (chronic angina), extended-release dosing (twice daily, swallow whole), QT prolongation, CYP3A drug interactions, and dose limits in kidney/liver disease.
- [Cleveland Clinic — Ranolazine \(Ranexa\)](#) [Patient Education]
Plain-language overview of how ranolazine treats chronic angina without lowering heart rate or blood pressure, dosing, and key interactions.
- [MedlinePlus — Ranolazine](#) [Patient Education]
NIH/NLM patient drug information: indication for angina, how to take, QT and interaction warnings, to anchor the explainer.
- [American Heart Association — Angina Treatment](#) [Patient Education]
Frames ranolazine among anti-anginal therapies for patients with refractory angina despite beta-blockers and nitrates.
- [2023 AHA/ACC Chronic Coronary Disease Guideline \(Antianginal Therapy\)](#) [Guideline]
Authoritative basis for ranolazine as second-line antianginal therapy and its role in symptom control in chronic coronary disease.
- [MERLIN-TIMI 36 — Ranolazine in Non-ST-Elevation ACS \(Morrow, JAMA 2007\)](#) [Trial]
Largest ranolazine trial (n=6560). Showed no reduction in cardiovascular death or heart attack — the basis for the honest 'symptom reliever, not a survival drug' framing — while confirming safety despite QT prolongation.
- [CARISA — Combination Assessment of Ranolazine in Stable Angina \(Chaitman, JAMA 2004\)](#) [Trial]
Pivotal add-on trial (n=823) on background beta-blocker or calcium blocker: improved exercise duration and cut angina attacks and nitroglycerin use WITHOUT meaningful change in heart rate or blood pressure.
- [ERICA — Efficacy of Ranolazine in Chronic Angina \(Stone, J Am Coll Cardiol 2006\)](#) [Trial]
Add-on to maximally tolerated amlodipine: ranolazine reduced angina frequency and nitroglycerin use in patients still symptomatic on a calcium blocker — the add-on niche.
- [American College of Cardiology — CardioSmart: Angina and Its Treatments](#) [Patient Education]
Patient-facing ACC framing of angina management and where add-on medicines fit alongside risk-factor control and revascularization.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

About This Guide

Rias KS Ali, MD FACC | Board Certified in Interventional Cardiology & Cardiovascular Disease

4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com

Version: 2026-08-15

Reviewer note: Reviewed: Cleveland Clinic, MedlinePlus, and AHA patient pages. This guide adds a mechanism contrast versus beta-blockers and nitrates, an add-on ladder, a does/does-not figure, and side-by-side comparison and drug-interaction tables. It is grounded in the FDA Ranexa label, the 2023 AHA/ACC chronic coronary disease guideline, and the CARISA, ERICA, and MERLIN-TIMI 36 trials.

Disclaimer

This guide is for educational purposes only and does not replace medical advice from your physician. Recommendations may not apply to every patient. Always follow the specific instructions of Dr. Ali and your care team. In an emergency call 911 or go to the nearest emergency department.



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info

Take This Guide With You



Scan or visit: <https://go.riasalimd.com/ranolazine-guide>

Online: <https://go.riasalimd.com/ranolazine-guide>

Office: (727) 943-5200

4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com



Visit
RiasAliMD.com

This guide is educational only. Always follow your doctor's specific recommendations.
4740 Mile Stretch Drive, Holiday FL 34690 | Office: (727) 943-5200 | Fax: (727) 943-5201 | RiasAliMD.com
Online: <https://go.riasalimd.com/ranolazine-guide>



Save
Contact Info